

# GLASSCRAFT<sup>®</sup> DOOR COMPANY

Wind Storm and Energy Code Information  
for GlassCraft Door Company  
Doors & Entries

# Glass Craft Door Co.

## Florida Wind Load Product Certifications

Approvals and Test Reports are listed on Florida Product Approval Website [www.floridabuilding.org](http://www.floridabuilding.org)  
 Enter FL # as below

FL #	Test	Code	GCD	Configuration	Hardware	Swina	Size		Design Pressure		Water	Air
	Report #	Version	Series				Width	Height	Positive	Negative		
3235	08-30012.02	2001	Portobello	8-0 Single Door, 2 Sidelights, Transom	W&F	IS	69"	136"	19.5	24.6	None	
3235	08-30059.02	2001	Portobello	6-8 Double Door, Transom	W&F	IS	74-1/2"	84-3/4"	19.5	24.6	None	
3235	08-30061.02	2001	Portobello	6-8 Double Door	G-U	IS	74-1/2"	82-3/4"	16.1	20.3	None	
3235	08-30069.02	2001	Portobello	6-8 Double Door	W&F	OS	74-1/2"	82-1/4"	24.8	32.4	None	
3235	08-30070.02	2001	Portobello	6-8 Double Door	W&F	IS	74-1/2"	82-3/4"	24.8	33.8	None	
3235	08-30074.02	2001	Portobello	8-0 Double Door	W&F	IS	74"	98-3/4"	19.5	24.6	None	
3235	08-30097.02	2001	Portobello	6-8 Single Door	W&F	IS	37-3/4"	82-3/4"	38.8	50.6	None	
3235	08-30098.02	2001	Portobello	8-0 Single Door	W&F	IS	37-3/4"	98-3/4"	33.8	44.0	None	
3235	08-30106.04	2001	Portobello	6-8 Single Door	Schlage	IS	37-3/4"	82-3/4"	38.8	50.6	None	
3235	08-30107.03	2001	Portobello	8-0 Single Door	Schlage	IS	37-3/4"	98-3/4"	38.6	50.6	None	
3235	08-30108.04	2001	Portobello	8-0 Single Sidelight, Fixed	None	N/A	15-3/4"	100-3/4"	40.6	54.2	None	
7390	64137.01-801-44	2004	Portobello/Estancia	6-0 X 8-0 Double Door with CH Transom	Schlage	IS	74-1/8"	136-3/8"	36.2	45.7	None	
7390	64141.01-801-44	2004	Portobello/Estancia	8-0 Single Door, 2 Sidelights, Transom	Schlage	IS	68-3/4"	136-3/8"	36.2	45.7	None	
7390	64138.01-801-44	2004	Portobello/Estancia	6-0 X 8-0 Double Door with CH Transom	Schlage	OS	74-1/8"	135-3/8"	36.2	45.7	None	
7390	64142.01-801-44	2004	Portobello/Estancia	8-0 Single Door, 2 Sidelights, Transom	Schlage	OS	68-3/4"	135-3/8"	36.2	45.7	None	
8289	69320.01-801-44	2004	Portobello/Estancia	3-6 X 8-0 Single Door	Schlage	IS	43-5/8"	98-3/4"	47.2	51.4	None	
8289	69316.01-801-44	2004	Portobello/Estancia	3-6 X 8-0 Single Door	Schlage	OS	43-5/8"	98-3/4"	47.2	51.4	None	
9434	72620.02-801-44	2004	Buffalo Forge	3-0 X 8-0 Single Round Top Door	Schlage	IS	38-7/8"	98-3/4"	54.2	58.9	None	
9434	72617.01-801-44	2004	Buffalo Forge	3-0 X 8-0 Arch Top Double Door	Schlage	IS	74-7/8"	98-3/4"	50.7	64.0	None	
9434	72618.01-801-44	2004	Buffalo Forge	3-0 X 8-0 Round Top Double Door	Schlage	IS	74-7/8"	98-3/4"	50.7	64.0	None	
9434	72619.01-801-44	2004	Buffalo Forge	3-0 X 8-0 Rect Double with CH Transom	Schlage	IS	74-3/8"	136"	56.7	64.7	None	
9845	CTLA-1743-1	2004	Portobello/Estancia	6-0 X 8-0 Arch Top Double Door	Schlage	OS	74 1/8"	98-3/4"	35.0	30.0	None	
9845	CTLA-1743W	2004	Portobello/Estancia	6-0 X 8-0 Arch Top Double Door	Schlage	IS	74 1/8"	98-3/4"	50.0	50.0	None	
9845	CTLA-1743W-3	2004	Portobello/Estancia	6-0 X 8-0 Round Top Double Door	Schlage	OS	74 1/8"	98-3/4"	50.0	50.0	None	
9845	CTLA-1743W-2	2004	Portobello/Estancia	6-0 X 8-0 Round Top Double Door	Schlage	IS	74 1/8"	98-3/4"	50.0	45.0	None	
9845	CTLA-1743W-5	2004	Portobello/Estancia	6-0 X 8-0 TDL Arch Top Double Door	Schlage	OS	74 1/8"	98-3/4"	45.0	40.0	None	
9845	CTLA-1743W-4	2004	Portobello/Estancia	6-0 X 8-0 TDL Arch Top Double Door	Schlage	IS	74 1/8"	98-3/4"	45.0	40.0	None	
3245	08-30075.02	2001	Portobello	Direct Set Transom	None	N/A	74-1/2"	37-1/2"	21.8	29.2	None	
3245	08-30110.04	2001	Portobello	Sash Set Transom	None	N/A	74"	36-1/4"	40.6	54.2	None	
9435	72621.01-801-44	2004	<b>Iron Insert</b>	In FG Door 3-0 X 8-0	Schlage	IS	37-1/2"	98"	70.0	105.0	12.11 psf	<0.01 cfm/ft²
3247	08-30109.04	2001	<b>Deco</b>	Deco Glass Bath Window, Fixed	None	N/A	49-1/2"	49-1/2"	40.6	54.2	None	

Note: Tested Portobello type construction also pertains to Wrought Iron series doors.